



- all-wood casement and picture windows
- complete unit—ready to install
- clean the outside from the inside



179 STYLES AND SIZES

BEEGEE

modern wood windows





focal point **for level**




The focal point of any room is the window...the one thing that can do most to make a gracious modern interior. Experienced decorators use windows to keynote a whole decorating plan...use them as natural centers of dramatic interest...use them to create inviting centers for modern family living. And famous Bee Gee windows are the choice of style-wise moderns everywhere. Bee Gee modern all-wood picture and casement windows are supplied in 179 styles and sizes to fit with any type of interior decoration...to bring new grace and glamor to every room in your home! Quality Bee Gee windows are skillfully styled, crafted and detailed to flatter any room, to give you the warm, rich beauty as well as the practical advantages that only fine wood can give. Truly, the styling touch that makes the home!



rooms...in the warmth and character of beautiful wood!



more light



more air



Protect your family's health and comfort! Open your home to plenty of nature's health-giving air and sunlight with modern, airy Bee Gee windows. Bee Gee "Pressure-Vacuum Ventilation" is scientifically engineered to pull in fresh air from any of three directions of wind and exhaust stale air at the same time. And Bee Gee's advanced styling, Bee Gee's lighter, more modern design brings the outdoors indoors with extra light for truly impressive window beauty. Use Bee Gee windows in building, in remodeling, in expanding . . . to make rooms look bigger, to correct floor-plan disadvantages, to make the most of your home! Bee Gee's broad line of casement, picture and corner picture windows offers many styling opportunities of grouping windows and of balancing one against another for striking effects.



179 styles and sizes of modern all-wood picture and casement windows

*for every home
for every room
for every budget*

BEEGEE



**modern
wood
windows**

dramatic beauty for

modern living



Architects know the easiest way to increase the charm and value of any home is "window-styling"

with Bee Gee windows. Proportioned to fit with modern architectural trends, famous Bee Gee windows provide an authentic styling touch for any type of construction—from Cape Cod and colonial to contemporary and ranch-type. Light and airy Bee Gee windows open up your home to modern indoor/outdoor living.



Brick Opg. 1'-11 3/4" <->
 Stud Opg. 1'-10 7/8" <->
 Sash Size 1'-8" <->

<-> 3'-3 7/8" <->
 <-> 3'-3" <->
 <-> 3'-0 1/8" <->

<-> 4'-6 5/8" <->
 <-> 4'-5 3/4" <->
 <-> 4'-2 7/8" <->

<-> 6'-0 7/8" <->
 <-> 6'-0" <->
 <-> 5'-9 1/8" <->

<-> 6'-0 7/8" <->
 <-> 6'-0" <->
 <-> 5'-9 1/8" <->


<-> 3'-5 5/8" <->
 <-> 3'-4 3/4" <->
 <-> 3'-1 7/8" <->




18B




19B




12B




13B



14B



15B



M20B



M21B



M22B




M23B



M24B




M29B




30B



31B




32B




33B




34B




40B



41B



42B



43B



44B


Brick Opg. 1'-11 3/4" <->
 Stud Opg. 1'-10 7/8" <->
 Sash Size 1'-8" <->

<-> 3'-5 5/8" <->
 <-> 3'-5" <->
 <-> 3'-2 1/8" <->

<-> 4'-10 5/8" <->
 <-> 4'-9 3/4" <->
 <-> 4'-6 7/8" <->

<-> 6'-4 7/8" <->
 <-> 6'-4" <->
 <-> 6'-1 1/8" <->


Brick Opg.
 Stud Opg.
 Sash Size



60B



61B



62B



63B



70B


ALL ILLUSTRATIONS SHOW WINDOWS AS SEEN FROM THE OUTSIDE

STYLE B


(1/4" SCALE)

here's how
 to **order**
BEEGEE
 windows


Frame detail for Bee Bee Windows



Stud Wall Type



Solid Masonry Type



Brick or Stone Veneer
 with plaster reveal*

*Plaster reveal available also in Stud Wall and in Solid Masonry Frames

STYLE A

(1/4" SCALE)

1. State the quantity needed, the unit number, and the type of frame construction desired, such as "Studwall, Solid Masonry, or Brick Veneer."

2. If narrow jambs are needed for Plaster Reveal, just state "Plaster Reveal" with your frame construction.

3. Standard jambs are 1-3/8" x 5-1/4". Narrow jambs down to 3-1/8" wide are available for Plaster Reveal on inside, or where wall construction necessitates less than 5-1/4" wide, without extra cost.

4. Clear glass is always shipped unless "Obscure" is specified.

5. When marble stools of more than 3/4" thickness are to be used, it is only necessary to specify "For Marble Stools" and a frame for this type of stool will be furnished at no extra cost.

6. Frames for bay windows or corner windows with extended sills for mitering, will be furnished if requirements are specified on order, at a slightly higher price.

7. Frames for all sizes are available for Studwall, Brick or Stone veneer, and for Solid Masonry Walls.

CAUTION

Never paint any hardware or metal work on this window.

Brick Opg. > 1'-11 3/4" <
Stud Opg. > 1'-10 7/8" <
Sash Size > 1'-8" <

2'-6 1/2" <
2'-5 1/4" <
2'-1 7/8" <




18A

3'-3 7/8" <
3'-3" <
3'-0 1/8" <



19A

4'-6 5/8" <
4'-5 3/4" <
4'-2 7/8" <



12A

6'-0 7/8" <
6'-0" <
5'-9 1/8" <



13A

6'-0 7/8" <
6'-0" <
5'-9 1/8" <




14A

3'-5 5/8" <
3'-4 3/4" <
3'-1 7/8" <



15A

3'-5" <
3'-3 3/4" <
3'-0 1/4" <



M20A



M21A



M22A



M23A




M24A



M29A

4'-4" <
4'-2 3/4" <
3'-11 3/8" <



30A



31A



32A



33A




34A


4'-8" <
4'-6 3/4" <
4'-3 3/8" <



40A



41A



42A




43A



44A

Brick Opg. > 1'-11 3/4" <
Stud Opg. > 1'-10 7/8" <
Sash Size > 1'-8" <



60A

3'-5 7/8" <
3'-5" <
3'-2 1/8" <




61A

4'-10 5/8" <
4'-9 3/4" <
4'-6 7/8" <



62A

6'-4 7/8" <
6'-4" <
6'-1 1/8" <



63A


Brick Opg.
Stud Opg.
Sash Size

"ribbon-styled"

FOR

MODERN HOMES

ALL ILLUSTRATIONS SHOW WINDOWS AS SEEN FROM THE OUTSIDE




CORNER PICTURE WINDOWS DO NOT INCLUDE GLASS FOR LARGE CENTER OPENING UNLESS TWIN-DOW OR THERMOPANE IS SPECIFIED IN THE ORDER.

PICTURE WINDOWS



ALL ILLUSTRATIONS SHOW WINDOWS AS SEEN FROM THE OUTSIDE.
ALL SIZES BASED ON 2 1/4" MULLIONS ON ROOM SIDE.

Style A





Style A Design No.	Width			Height			Style B Design No.
	Brick Opg.	Stud Opg.	Glass Opg.	Brick Opg.	Stud Opg.	Glass Opg.	
M320A	7'-0 3/4"	6'-11 7/8"	3'-0 1/2"	3'-5"	3'-3 3/4"	2'-11 1/2"	M320B
M420A	8'-1 1/4"	8'-0 3/8"	4'-1"	3'-5"	3'-3 3/4"	2'-11 1/2"	M420B
M520A	9'-5 1/4"	9'-4 3/8"	5'-5"	3'-5"	3'-3 3/4"	2'-11 1/2"	M520B
M620A	10'-1 1/4"	10'-0 3/8"	6'-1"	3'-5"	3'-3 3/4"	2'-11 1/2"	M620B



Style B





Style A Design No.	Width			Height			Style B Design No.
	Brick Opg.	Stud Opg.	Glass Opg.	Brick Opg.	Stud Opg.	Glass Opg.	
330A	7'-0 3/4"	6'-11 7/8"	3'-0 1/2"	4'-4"	4'-2 3/4"	3'-10 1/2"	330B
430A	8'-1 1/4"	8'-0 3/8"	4'-1"	4'-4"	4'-2 3/4"	3'-10 1/2"	430B
530A	9'-5 1/4"	9'-4 3/8"	5'-5"	4'-4"	4'-2 3/4"	3'-10 1/2"	530B
630A	10'-1 1/4"	10'-0 3/8"	6'-1"	4'-4"	4'-2 3/4"	3'-10 1/2"	630B




Style A Design No.	Width			Height			Style B Design No.
	Brick Opg.	Stud Opg.	Glass Opg.	Brick Opg.	Stud Opg.	Glass Opg.	
340A	7'-0 3/4"	6'-11 7/8"	3'-0 1/2"	4'-8"	4'-6 3/4"	4'-2 1/2"	340B
440A	8'-1 1/4"	8'-0 3/8"	4'-1"	4'-8"	4'-6 3/4"	4'-2 1/2"	440B
540A	9'-5 1/4"	9'-4 3/8"	5'-5"	4'-8"	4'-6 3/4"	4'-2 1/2"	540B
640A	10'-1 1/4"	10'-0 3/8"	6'-1"	4'-8"	4'-6 3/4"	4'-2 1/2"	640B



Style A Design No.	Width			Height			Style B Design No.
	Brick Opg.	Stud Opg.	Glass Opg.	Brick Opg.	Stud Opg.	Glass Opg.	
360A	7'-0 3/4"	6'-11 7/8"	3'-0 1/2"	5'-0"	4'-10 3/4"	4'-6 1/2"	360B
460A	8'-1 1/4"	8'-0 3/8"	4'-1"	5'-0"	4'-10 3/4"	4'-6 1/2"	460B
560A	9'-5 1/4"	9'-4 3/8"	5'-5"	5'-0"	4'-10 3/4"	4'-6 1/2"	560B
660A	10'-1 1/4"	10'-0 3/8"	6'-1"	5'-0"	4'-10 3/4"	4'-6 1/2"	660B



Style A Design No.	Width			Height			Style B Design No.
	Brick Opg.	Stud Opg.	Glass Opg.	Brick Opg.	Stud Opg.	Glass Opg.	
370A	7'-0 3/4"	6'-11 7/8"	3'-0 1/2"	6'-1 1/2"	6'-0 1/4"	5'-8"	370B
470A	8'-1 1/4"	8'-0 3/8"	4'-1"	6'-1 1/2"	6'-0 1/4"	5'-8"	470B
570A	9'-5 1/4"	9'-4 3/8"	5'-5"	6'-1 1/2"	6'-0 1/4"	5'-8"	570B
670A	10'-1 1/4"	10'-0 3/8"	6'-1"	6'-1 1/2"	6'-0 1/4"	5'-8"	670B



FOR TWIN-DOW OR THERMOPANE GLASS SIZE: Deduct 1/2" from glass opening.
When using 1/4" polished plate glass, deduct 1/4" from glass opening sizes.


1/4" SCALE

ALL ILLUSTRATIONS SHOW
WINDOWS AS SEEN FROM THE
OUTSIDE.
ALL SIZES BASED ON
2 1/8" MULLIONS ON ROOM SIDE.


CORNER PICTURE WINDOWS

PICTURE WINDOWS DO NOT INCLUDE GLASS
FOR LARGE CENTER OPENING UNLESS TWINWINDOW
OR THERMOPANE IS SPECIFIED IN THE ORDER.


Style A




CORNER PICTURE WINDOW RIGHT




CORNER PICTURE WINDOW RIGHT



CORNER PICTURE WINDOW RIGHT



CORNER PICTURE WINDOW RIGHT



CORNER PICTURE WINDOW RIGHT

Style A Design No.	Width			Height			Style B Design No.
	Brick Opg.	Stud Opg.	Glass Opg.	Brick Opg.	Stud Opg.	Glass Opg.	
M3203A	5'-2 1/2"	5'-1 5/8"	3'-0 1/2"	3'-5"	3'-3 3/4"	2'-11 1/2"	M3203B
M4204A	6'-3"	6'-2 1/8"	4'-1"	3'-5"	3'-3 3/4"	2'-11 1/2"	M4204B
M5205A	7'-7"	7'-6 1/8"	5'-5"	3'-5"	3'-3 3/4"	2'-11 1/2"	M5205B
M6206A	8'-3"	8'-2 1/8"	6'-1"	3'-5"	3'-3 3/4"	2'-11 1/2"	M6206B

ALL CORNER PICTURE WINDOWS (STYLE A OR B) AVAILABLE IN EITHER RIGHT OR LEFT UNITS

Style A Design No.	Width			Height			Style B Design No.
	Brick Opg.	Stud Opg.	Glass Opg.	Brick Opg.	Stud Opg.	Glass Opg.	
3303A	5'-2 1/2"	5'-1 5/8"	3'-0 1/2"	4'-4"	4'-2 3/4"	3'-10 1/2"	3303B
4304A	6'-3"	6'-2 1/8"	4'-1"	4'-4"	4'-2 3/4"	3'-10 1/2"	4304B
5305A	7'-7"	7'-6 1/8"	5'-5"	4'-4"	4'-2 3/4"	3'-10 1/2"	5305B
6306A	8'-3"	8'-2 1/8"	6'-1"	4'-4"	4'-2 3/4"	3'-10 1/2"	6306B

ALL CORNER PICTURE WINDOWS (STYLE A OR B) AVAILABLE IN EITHER RIGHT OR LEFT UNITS

Style A Design No.	Width			Height			Style B Design No.
	Brick Opg.	Stud Opg.	Glass Opg.	Brick Opg.	Stud Opg.	Glass Opg.	
3403A	5'-2 1/2"	5'-1 5/8"	3'-0 1/2"	4'-8"	4'-6 3/4"	4'-2 1/2"	3403B
4404A	6'-3"	6'-2 1/8"	4'-1"	4'-8"	4'-6 3/4"	4'-2 1/2"	4404B
5405A	7'-7"	7'-6 1/8"	5'-5"	4'-8"	4'-6 3/4"	4'-2 1/2"	5405B
6406A	8'-3"	8'-2 1/8"	6'-1"	4'-8"	4'-6 3/4"	4'-2 1/2"	6406B

ALL CORNER PICTURE WINDOWS (STYLE A OR B) AVAILABLE IN EITHER RIGHT OR LEFT UNITS

Style A Design No.	Width			Height			Style B Design No.
	Brick Opg.	Stud Opg.	Glass Opg.	Brick Opg.	Stud Opg.	Glass Opg.	
3603A	5'-2 1/2"	5'-1 5/8"	3'-0 1/2"	5'-0"	4'-10 3/4"	4'-6 1/2"	3603B
4604A	6'-3"	6'-2 1/8"	4'-1"	5'-0"	4'-10 3/4"	4'-6 1/2"	4604B
5605A	7'-7"	7'-6 1/8"	5'-5"	5'-0"	4'-10 3/4"	4'-6 1/2"	5605B
6606A	8'-3"	8'-2 1/8"	6'-1"	5'-0"	4'-10 3/4"	4'-6 1/2"	6606B

ALL CORNER PICTURE WINDOWS (STYLE A OR B) AVAILABLE IN EITHER RIGHT OR LEFT UNITS

Style A Design No.	Width			Height			Style B Design No.
	Brick Opg.	Stud Opg.	Glass Opg.	Brick Opg.	Stud Opg.	Glass Opg.	
3703A	5'-2 1/2"	5'-1 5/8"	3'-0 1/2"	6'-1 1/2"	6'-0 1/4"	5'-8"	3703B
4704A	6'-3"	6'-2 1/8"	4'-1"	6'-1 1/2"	6'-0 1/4"	5'-8"	4704B
5705A	7'-7"	7'-6 1/8"	5'-5"	6'-1 1/2"	6'-0 1/4"	5'-8"	5705B
6706A	8'-3"	8'-2 1/8"	6'-1"	6'-1 1/2"	6'-0 1/4"	5'-8"	6706B

ALL CORNER PICTURE WINDOWS (STYLE A OR B) AVAILABLE IN EITHER RIGHT OR LEFT UNITS


- FOR TWINWINDOW OR THERMOPANE GLASS SIZE: Deduct 1/2" from glass opening. When using 1/4" polished plate glass, deduct 1/4" from glass opening sizes.
- All Corner Picture Windows are shipped with 8" sill extension.
- When ordering, specify Style A or B . . . Right or Left Units.

1/4" SCALE


Style B




CORNER PICTURE WINDOW LEFT




CORNER PICTURE WINDOW LEFT



CORNER PICTURE WINDOW LEFT



CORNER PICTURE WINDOW LEFT





CORNER PICTURE WINDOW LEFT

BEE GEE

famous for quality...built for lasting satisfaction

bronze hardware

gives strong positive locking seal to movable ventilating sash.



ventilating hardware

Metal cross-brace and special friction-clutch sliding mechanism anchor the movable sash firmly in any opening position for desired ventilation.

Every Bee Gee window is a complete unit, consisting of frame, sash with glass, bronze screen and all hardware installed at the factory.

Picture and corner picture windows available with Twindow or Thermopane installed in large picture opening if desired. All wood parts are toxic-treated for maximum protection.

Glass bedded in putty and glazed with the finest long-fibred glazing compounds for permanent weatherseal. Bronze screen and hardware. Bee Gee all-wood windows give you natural wood insulation—and their rich finish is easily painted to match your room.

every **BEE GEE** window
available in two modern styles



STYLE A



STYLE B

Style "A" gives you a brilliant expanse of unobstructed glass. In Style "B", the glass is divided to give you long horizontal lines. Choose the style that best suits your home.

EASE

of installation spells economy



A COMPLETE WINDOW... READY TO SET IN THE WALL... NAILED IN PLACE...



READY TO USE!



only **BEE GEE** gives you amazing

PRESSURE-VACUUM VENTILATION

Bee Gee windows are scientifically engineered to pull in fresh air from any of three directions of wind and exhaust stale air at the same time... giving you full and complete room ventilation under exact and positive control.


HERE'S HOW "PRESSURE-VACUUM VENTILATION" WORKS

As shown in the drawing below, the open sash traps the fresh air current (A) and funnels the desired amount into the room. At the same time the air current (B) which escapes past the outside edge of the open sash creates a vacuum area behind the sash. The "drawing action" of this vacuum area combined with the pressure of the incoming fresh air forces the stale air (C) out... thus providing complete room ventilation.



"Pressure-Vacuum Ventilation" is made possible by Bee Gee's patented method of attaching the movable sash. The Bee Gee sash is mounted on a sliding track instead of on a hinge. When open the Bee Gee window provides an extra opening behind the movable sash. This extra opening lets the stale air out of the room. When closed the exclusive "Dubl-Tite" weather seal feature of the famous Bee Gee window provides draft-free comfort in the most severe weather.

**gives
positive
and
exact
ventilation
control**



The old-style window which slides up and down cannot provide full ventilation. The conventional window is merely a hole in the wall through which air can blow either in or out—but not both at the same time.

Other windows (where the movable sash is simply hinged to the opening) suffer from the same drawback. *Only the Bee Gee window is engineered for complete room ventilation.*

now!



a beautiful tight-fitting storm sash that allows

full ventilation!

AUTOMATIC STORM SASH

for *BEEGEE* windows

OPENS AND CLOSES AUTOMATICALLY WITH THE WINDOW

All the comfort and economy of storm sash—without sacrificing the style and appearance of your Bee Gee window or the quick and easy full ventilation you need to end room stuffiness during warmer winter weather! Ideal for kitchen, bedrooms, and bath! Cuts drafts—heat loss—condensation! The new design for smart modern appearance looks like the Bee Gee window itself! Toxic-treated white pine for maximum protection, complete with glass, bronze weatherstrip, all necessary hardware installed at the factory. Pre-fit for quick and easy installation on any Bee Gee window, new or old. Order by window number (found stamped on the hardware after the word "Patented" when the window is opened).

easy to install
in *3* quick steps



1 attach storm sash fasteners




2 set storm sash in place



ATTACH MAGIC
STORM SASH
COUPLER TO
MOVABLE SASH



3 ready to use!



HOME OF THE FAMOUS BEE GEE WINDOW

Bee Gee Windows and Bee Gee Storm Sash are manufactured under patent by Brown-Graves Co., Akron 1, Ohio

see your local
lumber dealer for
full details